




MARATHON

HARDWARE




EUREKA

SLIM

Technical Specifications

Example Installation Applications




Floor to Flat Ceiling

Products Required for a Single Post:

- x 1 Aluminium profile bar, cut to measured length of vertical height requirements
- x 1 Wall Connector which includes both a corner joint and a wall plate
- Discard corner joint and only use wall plate
- x 1 Adjustable Leveling Leg

Application: Room Dividers, Bookshelves, Feature Walls, Closets




Floor to Wall

Products Required for a Single Post:

- x 1 Aluminium profile bar cut into two measured lengths:
 - a) vertical
 - b) horizontal
- x 1 Wall Connector which includes both a corner joint and a wall plate
- x 1 Adjustable Leveling Leg

Application: Closets, Shelving, Entertainment Units, Offices, Desks.




Wall to Wall

Products Required for a Single Post:

- x 1 Aluminium profile bar cut into three measured lengths:
 - a) x 1 vertical
 - b) x 2 horizontal
- x 2 Wall Connector which includes both a corner joint and a wall plate

Application: Bookshelves, Offices, Desks



Floor to Sloping Ceiling


Products Required for a Single Post:

- x 1 Aluminium profile bar, cut to measured length of vertical height requirements
- x 1 Angled Ceiling Bracket
- x 1 Adjustable Leveling Leg

Application: Room Dividers, Closets, Under Stair Storage, Loft Conversions

Example of Measurements for Installation of Aluminum Profile Bars

Floor to Back Wall Application



Floor to Back Wall Example Measurements

The Horizontal Bar is cut 300mm long. After fixing the corner joint and wall connector, it becomes 324mm.

The Vertical Bar was original cut to 600mm height but once the corner joint and adjustable foot leveler are attached, it becomes 618.5mm high.


The foot can be adjusted to a maximum of 15mm, providing range of adjustment from 618.5 to 633.5mm

Floor to Back Wall Maximum Height

The profile bars are 3000mm long. Adding the corner joint and adjustable leg leveller, gives a maximum height of 3018.5mm. With range of adjustment from 3018.5 to 3033.5mm



Floor to Flat Ceiling Application



Floor to Flat Ceiling Example Measurements

The Vertical Bar was original cut to 600mm height but once the wall connector and adjustable foot leveler are attached, it becomes 628mm high.

The foot can be adjusted to a maximum of 15mm, providing range of adjustment from 628 to 643mm

Floor to Flat Ceiling Maximum Height

The profile bars are 3000mm long. Adding the wall connector and adjustable leg leveller, gives a maximum height of 3028mm. With range of adjustment from 3028 to 3043mm



Product Overview

Eureka SLIM Aluminum Bar Profiles (3 metres)

Item Description	Part#
Anodized Aluminum	035-3520-AN
Matte Black	035-3520-MB



Eureka SLIM Wall Connector Support Bracket

Item Description	Part#
Anodized Aluminum	035-3532-AN
Matte Black	035-3532-MB

Eureka SLIM Flat Shelf Holder

Item Description	Part#
Anodized Aluminum	035-3521-AN
Matte Black	035-3521-MB



Eureka SLIM Angled Holder for Wooden Shelves

Item Description	Part#
Anodized Aluminum	035-3428-AN
Matte Black	035-3428-MB

Eureka SLIM Top Mount Bracket for Glass or Cabinets

Item Description	Part#
Anodized Aluminum	035-3522-AN
Matte Black	035-3522-MB



Eureka SLIM Adjustable Leveling Legs

Item Description	Part#
Anodized Aluminum	035-3523-AN
Matte Black	035-3523-MB

Eureka SLIM Angled Ceiling Bracket

Item Description	Part#
Anodized Aluminum	035-3530-AN
Matte Black	035-3530-MB



Eureka SLIM Closet Rod Holder

Item Description	Part#
Anodized Aluminum	035-3529-AN
Matte Black	035-3529-MB

Eureka SLIM Wall Connector and Corner Joint Bracket


Item Description	Part#
Anodized Aluminum	035-3524-AN
Matte Black	035-3524-MB



Marathon T-Handle Tool for Installation/Adjustment

Item Description	Part#
3mm Hex/Allen Key	MAR-THEX-3MM

Aluminium Bar Profile



Features:



- Dimensions: 16mm (W) x 52.77mm (D) x 3000mm (L)
- Two Finishes: Aluminium Anodized and Matte Black
- Reversible Profile with two front facing options: concave or convex
- Profile provides high load capacity: 30kg (66 lbs) when pair of brackets are fitted to both right and left sides
- Easy to cut to length with only straight cuts required
- Accessories can be fixed to channel edge with 3mm allen key hex screw




Adjustable Leveling Leg

Features:

- Comes with x 1 foot bracket , x 1 self threading screw, & x 1 adjustable leveling leg
- Slides into and connects to base of aluminium profile
- Adds 11mm to height of vertical bar once installed (does not include adjustment height range)
- Leg can be adjusted by max 15mm in length




Wall Connector and Corner Joint Bracket



Features:

- Comes with x 1 corner joint & x 1 wall connection
- Slides and connects to aluminium profile with ease
- Adds 24mm to the length of the horizontal bar once installed
- Adds 7.5mm to the height of the vertical bar once installed
- Profile attaches to wall connector by sliding down onto bracket and locking in place a small set screw

Installation on Flat Ceilings with the Wall Connector and Corner Joint Bracket



Features:


- Corner Joint and Wall Connector can also be used on flat ceilings
- Discard the Corner Joint and directly connect the Wall Connector into vertical bar profile and fix to ceiling
- Adds 17mm to length of vertical bar profile

Angled Ceiling Bracket



Features:

- Comes with x 1 ceiling adapter x 1 fixing kit - 3 x m4 screws, x 1 self threading screw, & ceiling anchors
- Allows for the profile to be attached to a sloping ceiling with an angle from 0 degrees to 45 degrees

Please note: as the angle changes, the profile cut length may vary. Careful measurements and a practical trial may be necessary. Plan ahead and use the Adjustable Leveling Feet to fill the height gap.




Flat Shelf Holder



Features:

- Supplied as a pair for left and right sides
- Attached to channel on aluminium profile
- Suitable to attach flat shelves or cabinets
- Top Mount Bracket required for glass shelves
- Top Mount Bracket suggested for pullout drawers and heavier cabinets depending upon expected load

Top Mount Bracket




Features:

- Comes with x 1 bracket, 2 protective bumper inserts
- Required for glass shelves
- Suggested for pullout drawers or heavier cabinets based upon expected load
- Easily adjustable for any thickness of glass or cabinets


Angled Shelf Holder

Features:

- Allows for full 360° adjustment in increments of 15°
- Designed for wooden shelves only
- Perfect to create shoe racks or magazine displays



Closet Rod Holder



Features:

- Suitable for Oval 15x30mm Closet Rods
- Fully adjustable to any height
- Cut your closet rod 26mm (2 x 13mm) less than the total horizontal length to fit between two holders

Flat Shelf Holder Installation




Important Information*


Left and Right version included with purchase, left and right installation are similar.

- A** Metal Shelf Holder, Left front version
- B** Metal Shelf Holder, Right back version
- E** Anti-scratch plastic plates
- F** 2 Hexagon socket head cap screws
- G** 4 Wood screws Ø3.5


1. Insert anti-scratch **E** on its seat.
2. Fasten the shelf holder **A** with **B** with screws **F** on the vertical style after setting them just over the shelf.
3. Make sure the two shelf holder **A** and **B** are completely closed against each other without opening.
4. Finally mount the shelf on the shelf holder **A** and **B** and fix it with screws. **G**



Eureka SLIM Flat Shelf Holder	
Item Description	Part#
Anodized Aluminum	035-3521-AN
Matte Black	035-3521-MB



Top Mount Bracket for Glass or Cabinets Installation




Important Information*

Left and Right version included with purchase, left and right installation are similar.

- A** Front left bracket clamp
- B** Back left bracket clamp
- E** Plastic transparent bumpers
- F** Anti-scratch plastic plates
- G** Hexagon socket head cap screw M4 x 25mm

1. Insert anti-scratch plate **F** on its seat.
2. Fasten the clamps **A** with **B** with screws **G** on the vertical style after setting them just over the shelf
3. Make sure the two clamps **A** and **B** are completely closed against each other without opening.
4. Insert the transparent plastic bumper **E** into the proper holes of clamps **A** and **B**



NO




YES




Eureka SLIM Top Mount Bracket for Glass or Cabinets	
Item Description	Part#
Anodized Aluminum	035-3522-AN
Matte Black	035-3522-MB

Adjustable Leveling Leg Installation



- A** x 1 Slim 3m metal profile
- B** x 1 Metal intermediate foot
- C** Self-tapping screws Ø5.5
- D** Adjustable Leveling Leg


1. Insert anti-scratch **E** on its seat.
2. Fasten the shelf holder **A** with **B** with screws **F** on the vertical style after setting them just over the shelf
3. Make sure the two shelf holder **A** and **B** are completely closed against each other without opening.
4. Finally mount the shelf on the shelf holder **A** and **B** and fix it with screws



Eureka SLIM Adjustable Leveling Legs

Item Description	Part#
Anodized Aluminum	035-3523-AN
Matte Black	035-3523-MB

Wall Connector Support Bracket Installation




- A** x1 Drywall anchor plugs Ø8
- B** x1 Metal wall foot
- C** x1 Wood screws Ø5
- D** x1 Self tapping screw Ø5.5 x 50mm
- E** x1 Metal intermediate plate
- F** x1 Hexagon Socket set screw chamfered M4
- G** x1 Slim bar profile (cut to size)
- H** x1 Support bracket
- I** x1 Metal Clamp
- J** x2 Screws M4 x 8mm

1. Fix the metal intermediate piece **E** to the horizontal style **G** with screw **D**
2. Drill the wall with a Ø8 bit and insert the wall plug **A**
3. Fix the wall foot **B** to the ceiling the screw **C**
4. Connect the metal intermediate piece **E** with the wall foot **B** and fix them together with screw **A**
5. Fix the support **H** to the intermediate profile **G** with the screw **D**
6. Put the vertical profile between the support **H** and the clamp **I**
7. Close the vertical profile with the screws **J**

****Note:** The Wall Connector Support Bracket installs together with the Wall Connector and Corner Joint Kit. You must order both products to install correctly.

These installation instructions show assembly pieces from both kits combined together.




Eureka SLIM Wall Connector and Corner Joint Bracket

Item Description	Part#
Anodized Aluminum	035-3524-AN
Matte Black	035-3524-MB

Eureka SLIM Wall Connector Support Bracket

Item Description	Part#
Anodized Aluminum	035-3532-AN
Matte Black	035-3532-MB

Angled Shelf Holder Installation




- A** x 4 Shelf brackets
- B** x 1 Shelf hangers
- C** x 2 Brass cylinders
- D** x 2 Anti scratch plates
- E** x 4 Countersunk screws M4 x 10mm
- F** x 4 M4 x 25mm screws


1. Insert brass cylinder **C** in place between the two of the shelf brackets.
2. Insert anti-scratch plate **D** between the pair of shelf brackets **A**
3. Fasten brackets **A** together using 2 of the M4 x 25mm screws **F** on either side of the brackets making sure they are clamped tightly together and positioned at the right height
4. Place the shelf hanger **B** onto the round disc on the bracks and adjust required incline
5. Fasten the shelf hanger **B** with x 2 countersunk M4 screws **A**
6. Set the wooden board over the shelf hanger **B** fixing the board to the hanger through the **F** allocated screw holes

Eureka SLIM Angled Shelf Holder

Item Description	Part#
Anodized Aluminum	035-3428-AN
Matte Black	035-3428-MB



Wall Connector and Corner Joint Installation




- A** x1 Drywall Anchor Ø8mm
- B** x1 Metal Wall Foot Plate
- C** x1 Wood screw Ø5mm
- D** x1 Self tapping screw Ø5.5 x 50mm
- E** x1 Metal Intermediate Plate
- F** x1 Hexagon Socket set screw chamfered M4
- G** x1 Bar profile
- H** x1 90 Degree support bracket
- I** x1 90 Degree metal connector
- J** x2 Screws M4 x 8mm

1. Fix the metal intermediate piece **E** to the horizontal style **G** with screw **D**
2. Drill the wall with a Ø8 bit and insert the anchor **A**
3. Fix the wall foot **B** to the ceiling the screw **C**
4. Connect the metal intermediate piece **E** with the wall foot **B** and fix them together with screw **A**
5. Fix the support **H** to the intermediate profile **G** with the screw **D**
6. Put the vertical profile between the support **H** and the clamp **I**
7. Close the vertical profile with the screws **J**

Eureka SLIM Wall Connector and Corner Joint Bracket

Item Description	Part#
Anodized Aluminum	035-3524-AN
Matte Black	035-3524-MB


Angled Ceiling Bracket Installation




- A** x 1 Drywall Anchor Ø8mm
- B** x 1 Wood screw Ø5 x 60mm
- C** x 1 Thread screw Ø5.5x50mm
- D** x 1 Sphere
- E** x 1 Ferrule
- F** x 1 Wall Plate
- G** x 1 Metal Cap
- H** x 3 Screws M4 x 12mm
- I** x 1 Vertical bar profile

1. Fix the metal cap **G** to the vertical style **I** with the screw **C** interposing between the two components the ferrule **E** and the sphere **D**
2. Drill the wall with a Ø8 bit and insert the anchor **A**
3. Fix the wall plate **F** to the ceiling with the screw **B**
4. Fix the components **I**, **G**, **E**, **D** coupling the ferule with the wall support **A** and fix them together with three screws **B**

Eureka SLIM Angled Ceiling Bracket	
Item Description	Part#
Anodized Aluminum	035-3530-AN
Matte Black	035-3530-MB



Closet Rod Holder Installation



Important Information*

Left and Right version included with purchase, left and right installation are similar.

- A** x 1 Back right clamp support
- B** x 1 Front left clamp support
- C** x 2 Hexagon Socket head Screw M4 x 25mm
- D** x 2 Anti-scratch plastic plates

1. Insert anti-scratch plate **D** on its seat.
2. Fasten the supports **A** with **B** with screws **C** on the vertical style after setting them just over the pipe hangers
3. Make sure the two supports **A** and **B** are completely closed against each other without opening.
4. mount the pipe hangers on the supports **A** and **B** and fix them with screws **C**



NO



YES

Eureka SLIM Closet Rod Holder	
Item Description	Part#
Anodized Aluminum	035-3529-AN
Matte Black	035-3529-MB



Quality . Innovation . Service

info@marathonhardware.com

800.840.1228

